


Curekind DCBS(DZ)

DESCRIPTION			Items	Specification
	N,N-Dicyclohexyl-2-benzothiazolsulfene amide $C_{19}H_{26}N_2S_2$ M.W. 378.5 CAS No.: 4979-32-2 EINECS No.: 225-625-8		Appearance	Light-yellow or Light pink Powder
			Initial Melting Point,min.	97.0
			Heat Loss,% max.	0.3
			Ash, %	0.3

Characteristics Curekind® DCBS is Light-yellow Powder. Soluble in benzene and ethyl acetate, insoluble in water, slight soluble in gasoline.

Application Curekind® DCBS, delay scorching and long curing time of vulcanization accelerator for wire rubber formulations to improve adhesion. Curekind® DCBS is regulated for use in articles in contact with food as specified under FDA 21 CFR177.2600 and under BgVV XXI, Category 4.

Safety and Toxic Refer to the MSDS

Storage Store in closed containers in a cool, dry, well-ventilated place. Avoid exposure under direct sunlight.

Package Co-extruded paper bag lined with PE plastics film bag. N.W.25kg/bag; N.W.500kg/pallet.

The information contained in this leaflet is based on tests carried out by our laboratories and data selected from references. Therefore it is not valid legally and does not signify any guarantee to customers of successful applications of the product according to their own formulas. However, our company will offer professional services in technology at utmost to facilitate customers to achieve expected purpose of product applications.