


Curekind ZBPD

DESCRIPTION	Items	Specification	
	 <p>Zinco,o-dibutylDithiophosphate</p> <p>$C_{16}H_{36}O_4P_2S_4Zn$ M.W.:548.07 CAS No.:6990-43-8 EINECS No.:230-257-6</p>	Appearance	Colorless to light-yellow transparent liquid
	Sulfur ,%	22.0-23.0	
	Heat loss %	Max.0.06	
	20°C Density (g/cm ³)	1.20-1.30	
	pH vale	Min.4.0	
	Zn content, %	11.1-13.50	

Characteristics Curekind® ZBPD, a fast curing secondary accelerator for NR and EPDM.

Application Curekind® ZBPD, mainly used as vulcanizing accelerator for EPDM, non-blooming, lower cost and fast curing rate. Because of its non-amine based structure, Curekind® ZBPD can be used to non-Nitrosamine formed curing systems. Curekind® ZBPD is regulated for use in articles in contact with food as specified under BgVV.XXI, category 4, and do not regulated for use in FDA food contact applicants.

Safety and Toxic Refer to the MSDS

Storage Store in closed containers in a cool, dry, well-ventilated place. Avoid exposure under direct sunlight.

Package N.W.200Kg/drum..

The information contained in this leaflet is based on tests carried out by our laboratories and data selected from references. Therefore it is not valid legally and does not signify any guarantee to customers of successful applications of the product according to their own formulas. However, our company will offer professional services in technology at utmost to facilitate customers to achieve expected purpose of product applications.